NSN 4820-00-463-2029

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-463-2029 **Pipe Size Accommodated:** 0.750 inches all ends Flow Control Device: Disk **Bonnet Type:** Outside screw-yoke **Bonnet Attachment Method: Bolted Maximum Operating Temp:** 975.0 degrees fahrenheit single response **Connection Style:** Socket (pipe) all ends **Valve Operation Method:** Manual **Connection Type:** Unthreaded internal pipe all ends **Mounting Position:** Horizontal **Features Provided:** Bonnet packing **Maximum Operating Pressure:** 600.0 pounds per square inch single response **Special Features:** Valve size 3/4 in. Material: Steel seat **Material Specification:** Mil-r-17131, mil-rcocr-a military specification single material response seat Media For Which Designed: Steam single response **Style Designator:** Straight thru **Test Data Document:** 81349-mil-s-901 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure:**

A530b0

No Fiig:

Demilitarization:

NSN 4820-00-463-2029

Stop-check Valve - Page 2 of 2



Mil-std (military Standard):

Mil-r-17131 spec.