NSN 4820-00-476-7299

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-476-7299

Flow Control Device:

Disk

Disk Loading Method:

Spring

Bolt Hole Quantity:

6 1st end

Valve Operation Method:

Automatic

Flange Shape:

Round with holes 1st end

Connection Type:

Flange 1st end

Mounting Facility:

Bracket

Mounting Position:

Horizontal

Maximum Operating Pressure:

10.0 pounds per square inch single response

Outside Diameter:

6.000 inches 1st end

Thickness:

0.125 inches 1st end

Bolt Hole Diameter:

0.264 inches all ends

Bolt Circle Diameter:

5.250 inches 1st end

Flange Face Design:

Plain 1st end

Material:

Aluminum alloy 2024

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2 military specification single treatment response

Style Designator:

Straight thru

Shelf Life:

N/a

Unit Of Measure:

NSN 4820-00-476-7299

Check Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.

