

View Online at <https://aerobasegroup.com/nsn/4820-00-477-1809>

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Disk

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Threaded

**Disk Loading Method:**

Spring

**Renewable Seat Ring Type:**

Threaded

**Connection Style:**

Plain, optional en (pipe) all ends

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded internal pipe all ends

**Features Provided:**

Valve stem lock shield

**Adjustable Pressure Range:**

+65.0/+180.0 pounds per square inch

**Maximum Operating Pressure:**

180.0 pounds per square inch single response

**Thread Size:**

0.500 inches all ends

**Opening Pressure Setting:**

65.0 pounds per square inch

**Material:**

Stainless steel stem

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:**

Angle

**Thread Series Designator:**

Npt all ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0

**Mil-std (military Standard):**

Mil-a-8625 spec.