

View Online at <https://aerobasegroup.com/nsn/4820-00-482-5681>

**Pipe Size Accommodated:**

4.000 inches 2nd end

**Thread Direction:**

Right-hand 2nd end

**Flow Control Device:**

Disk

**Bonnet Type:**

Inside spring

**Bonnet Attachment Method:**

Bolted

**Disk Loading Method:**

Spring

**Valve Discharge Flow Rate:**

14235.0 cubic feet per minute

**Renewable Seat Ring Type:**

Threaded

**Bolt Hole Quantity:**

8 1st end

**Maximum Operating Temp:**

406.0 degrees fahrenheit 2nd response

**Connection Style:**

Plain, optional en (pipe) 2nd end

**Valve Operation Method:**

Automatic

**Flange Shape:**

Round with holes 1st end

**Connection Type:**

Threaded internal pipe 2nd end

**Features Provided:**

Valve stem lock shield and bonnet packing and pressure tight outlet side

**Thready Qty Per Inch (tpi):**

8 2nd end

**Maximum Operating Pressure:**

250.0 pounds per square inch 1st response

**Thread Size:**

4.000 inches 2nd end

**Outside Diameter:**

8.250 inches 1st end

**Thickness:**

1.250 inches 1st end

**Bolt Hole Diameter:**

0.750 inches 1st end

**Bolt Circle Diameter:**

6.625 inches 1st end

**Flange Face Design:**

Raised straight 1st end

**Raised Face Height:**

0.063 inches 1st end

**Raised Face Diameter:**

5.687 inches 1st end

**Material:**

Steel stem

**Media For Which Designed:**

Air 1st response

**Style Designator:**

Angle

**Thread Series Designator:**

Npt 2nd end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0