## NSN 4820-00-482-7975

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-482-7975

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
250.0 degrees fahrenheit 2nd response
Connection Style:
Flared (tube) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
20 1st end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.250 inches 1st end
Special Features:
Inlet end bulkhead type
Material:
Steel comp 316 seat
Media For Which Designed:
Carbon dioxide 5th response
Style Designator:
Straight thru
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:

---

## NSN 4820-00-482-7975

Check Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A530b0

