

View Online at <https://aerobasegroup.com/nsn/4820-00-487-9049>

Body Material:

Brass

Body Style:

Straight thru

Furnished Items:

Cylinder gage and delivery gage

Media For Which Designed:

Nitrogen, water pumped

First End Connection Type:

Threaded internal tube

First End Style Designator:

High pressure flare (used with male threaded style no. 39)

First End Outside Diameter Tube Accommodated:

0.375 inches

First End Thread Size And Series/type Designator:

5/8-18 unf

First End Thread Class:

2b

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Not identical

Second End Connection Type:

Threaded external gas cylinder

Second End Style Designator:

Swivel nut, flared

Second End Thread Size And Series/type Designator:

0.960-14 ngo

Second End Thread Direction:

Right-hand

Seat Material:

Plastic, tetrafluoroethylene

First End Seat Angle In Deg:

30.0

Second End Seat Radius:

0.375 inches

Flow Control Device:

Diaphragm

End Connection Quantity:

2

Second End Thread Pitch Diameters:

+0.9100 to 0.9136 inches

Outlet Pressure Range:

+0.0 to 100.0 pounds per square inch

Regulation Type:

1st stage manual, 2nd stage automatic

Manual Control Method:

Tee handle

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

4000.0 pounds per square inch

Filter:

Included

Temperature Rating:

Between -40.0 degrees fahrenheit and 165.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100