NSN 4820-00-488-8359

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-488-8359

D' O' A I I
Pipe Size Accommodated:
0.250 inches all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Valve Discharge Flow Rate:
10.0 gallons per minute
Renewable Seat Ring Type:
Threaded
Maximum Operating Temp:
300.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe all ends
Features Provided:
Pressure tight outlet side
Adjustable Pressure Range:
+300.0/+1000.0 pounds per square inch
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.250 inches all ends
Special Features:
Includes one alloy pipe plug for unused side port, 0.250 inch npt thd size
Material:
Steel
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Surface Treatment:
Cadmium
Style Designator:
Straight through note: to be used for valve bodies of separable sections.
Thread Series Designator:
Npt all ends
Shelf Life:
N/a

NSN 4820-00-488-8359

Safety Relief Valve - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A046b0