

View Online at <https://aerobasegroup.com/nsn/4820-00-491-6391>

Thread Class:

3a all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Needle

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Union

Maximum Operating Temp:

450.0 degrees fahrenheit single response

Connection Style:

Plain (tube) all ends

Valve Operation Method:

Manual

Connection Type:

Threaded external tube all ends

Mounting Facility:

Bulkhead

Features Provided:

Bonnet packing

Thready Qty Per Inch (tpi):

16 1st end

Maximum Operating Pressure:

5000.0 pounds per square inch single response

Thread Size:

0.750 inches all ends

Special Features:

Incl 2 sleeve; regulating type stem

Material:

Steel comp 316

Material Specification:

66 federal standard single material response

Media For Which Designed:

Water-oil-gas single response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Straight thru

Thread Series Designator:

Unf all ends

Furnished Items And Quantity:

2 nut and 4 ferrule

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0