NSN 4820-00-494-6554

Expansion Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-494-6554

| Body Material: |
|---|
| Brass |
| Body Style: |
| Straight thru |
| Tempurature Rating: |
| 50.0 degrees fahrenheit |
| Media For Which Designed: |
| Refrigerant 22 |
| First End Connection Type: |
| Unthreaded internal tube |
| First End Style Designator: |
| Socket |
| First End Outside Diameter Tube Accommodated: |
| 0.500 inches |
| Second End Relationship With First End: |
| Not identical |
| Second End Connection Type: |
| Unthreaded internal tube |
| Second End Style Designator: |
| Socket |
| Second End Outside Diameter Tube Accommodated: |
| 0.380 inches |
| Flow Control Device: |
| Diaphragm |
| Flow Control Device Material: |
| Steel, corrosion resisting |
| End Connection Quantity: |
| 2 |
| Capillary Tube Length: |
| 30.000 inches |
| Bulb Length: |
| 3.500 inches |
| Bulb Diameter: |
| 0.500 inches |
| Valve Expansion Control Type: |
| Thermostatic |
| Valve Evaporator Tempurature Range Designation: |
| Low |
| Valve Pressure Limiting Device: |
| Not included |
| Bulb Media Type: |
| Refrigerant 22 |
| |

NSN 4820-00-494-6554

Expansion Valve - Page 2 of 2



Bulb Mounting Method:

Clamp

Valve Equalizer Location:

Internal

Refrigeration Capacity In Btu Per Hour:

12.0

Test Data Document:

97403-13216e6174 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A07100