## NSN 4820-00-494-8174

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-494-8174 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 450.0 degrees fahrenheit single response **Connection Style:** External seat for gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external boss all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.062 inches all ends **Outside Diameter Tube Accommodated:** 1.000 inches 1st end Material: Stainless steel Media For Which Designed: Hydraulic fluid, mineral base single response **Surface Treatment: Passivate Style Designator:** Straight thru **Thread Series Designator:** Un all ends **Specification Data:** 81349-mil-v-25675b government specification

**Specification Or Standard:** 

3 type and 0.750 size

Shelf Life:

N/a

## NSN 4820-00-494-8174

Check Valve - Page 2 of 2



|  |  |  | ıre: |
|--|--|--|------|
|  |  |  |      |

--

Demilitarization:

No

Fiig:

A530b0