NSN 4820-00-498-8842

Safety Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-498-8842

Pipe Size Accommodated:
1.500 inches 1st end
Thread Direction:
Right-hand 1st end
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Integral
Disk Loading Method:
Spring
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe 2nd end
Features Provided:
Bonnet packing and pressure tight outlet side
Thready Qty Per Inch (tpi):
11-1/2 2nd end
Adiustable Dressure Denge
Adjustable Pressure Range:
+150.0/+3000.0 pounds per square inch
-
+150.0/+3000.0 pounds per square inch
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure:
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size:
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed:
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response Thread Series Designator:
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response Thread Series Designator: Npt 1st end
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response Thread Series Designator: Npt 1st end Shelf Life:
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response Thread Series Designator: Npt 1st end Shelf Life: N/a
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response Thread Series Designator: Npt 1st end Shelf Life: N/a
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
+150.0/+3000.0 pounds per square inch Maximum Operating Pressure: 3000.0 pounds per square inch single response Thread Size: 1.500 inches 1st end Media For Which Designed: Oil, hydraulic single response Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure: Demilitarization: