NSN 4820-00-506-2677

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-506-2677 **Thread Class:** 2b all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 400.0 degrees fahrenheit single response **Connection Style:** Gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.500 inches all ends **Outside Diameter Tube Accommodated:** 0.750 inches 1st end Material: Steel comp 416 flow control device **Material Specification:** Ed standard 66, aisi 303/sae 30303 federal standard 5th material response body Media For Which Designed: Hydraulic fluid, mineral base single response **Surface Treatment: Passivate Style Designator:** Straight thru **Thread Series Designator:** Un all ends Shelf Life: N/a

Unit Of Measure:

NSN 4820-00-506-2677

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0