NSN 4820-00-511-2010

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-511-2010

Thread Class:
3b all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Disk
Disk Loading Method:
Spring
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Connection Style:
Inverted flar (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded internal tube all ends
Mounting Facility:
Threaded fastener
Features Provided:
Pressure tight outlet side
Thready Qty Per Inch (tpi):
20 all ends
Adjustable Pressure Range:
+2100.0/+4100.0 pounds per square inch
Maximum Operating Pressure:
3360.0 pounds per square inch single response
Thread Size:
0.437 inches all ends
Seat Angle:
60.0 degrees all ends
Outside Diameter Tube Accommodated:
0.250 inches all ends
Material:
Stainless steel seat
Media For Which Designed:
Hydraulic fluid, phosphate-ester base single response
Surface Treatment:
Anodize
Style Designator:
Angle
Thread Series Designator:
Unf all ends

NSN 4820-00-511-2010

Safety Relief Valve - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

