NSN 4820-00-528-2356

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-528-2356

Pipe Size Accommodated:
0.250 inches 2nd end
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Cone
Connection Style:
Inverted flare (tube) 2nd end
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
20 1st end
Maximum Operating Pressure:
450.0 pounds per square inch single response
Thread Size:
0.500 inches 1st end
Seat Angle:
37.0 degrees 1st end
Face To Face Distance:
2.125 inches
Outside Diameter Tube Accommodated:
0.312 inches 1st end
Media For Which Designed:
Oxygen, gaseous single response
Style Designator:
Straight thru
Test Data Document:
81349-mil-v-7908 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unf 1st end
Specification Or Standard:
G style
Shelf Life:
N/a
Unit Of Measure:
-

No

Demilitarization:

NSN 4820-00-528-2356

Check Valve - Page 2 of 2



Fiig:

A530b0