NSN 4820-00-529-3640

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-529-3640

Thread	Class:

3b all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Cone

Disk Loading Method:

Spring

Maximum Operating Temp:

1560.0 degrees fahrenheit single response

Connection Style:

Inverted flare (tube) all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded internal tube all ends

Mounting Position:

Horizontal

Thready Qty Per Inch (tpi):

12 all ends

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

1.500 inches all ends

Seat Angle:

60.0 degrees 1st end

Outside Diameter Tube Accommodated:

0.750 inches all ends

Material:

Aluminum alloy

Media For Which Designed:

Hydraulic fluid, phosphate-ester base single response

Style Designator:

Straight thru

Thread Series Designator:

Un all ends

Specification Data:

81349-mil-v-5524 government specification

Specification Or Standard:

3000 class

Shelf Life:

N/a

NSN 4820-00-529-3640

Check Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A530b0

