NSN 4820-00-529-4287

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-529-4287

Thread Class:
3b all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Cone
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Pressed-in
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Connection Style:
Flare (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded internal tube all ends
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
16 all ends
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.750 inches all ends
Seat Angle:
32.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.500 inches all ends
Material:
Stainless steel flow control device
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Surface Treatment:
Cadmium
Style Designator:
Straight thru
Thread Series Designator:
Unf all ends
Specification Data:

81349-mil-v-5524 government specification

NSN 4820-00-529-4287

Check Valve - Page 2 of 2

Specification Or Standard:

8 size

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A530b0

