NSN 4820-00-530-9405

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-530-9405

Pipe Size Accommodated:
0.250 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
250.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 2nd end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe 2nd end
Features Provided:
Pressure tight outlet side
Adjustable Pressure Range:
+0.5/+150.0 pounds per square inch
Maximum Operating Pressure:
200.0 pounds per square inch single response
Thread Size:
0.250 inches 2nd end
Opening Pressure Setting:
75.0 pounds per square inch
Special Features:
Inline type
Material:
Copper alloy
Media For Which Designed:
Hydrogen 5th response
Style Designator:
Straight through note: to be used for valve bodies of one section only.
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 4820-00-530-9405

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0