## NSN 4820-00-542-2856

Globe Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-542-2856

Pipe Size Accommodated:
2.000 inches 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Renewable Seat Ring Type:
Threaded
Maximum Operating Temp:
425.0 degrees fahrenheit single response
Valve Operation Method:
Manual
Connection Type:
Unthreaded internal pipe 2nd end
Features Provided:
Bonnet packing
Maximum Operating Pressure:
200.0 pounds per square inch single response
Special Features:
Special Features: With preinserted ring
With preinserted ring
With preinserted ring  Material:
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem  Media For Which Designed:
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem  Media For Which Designed:  Steam single response
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem  Media For Which Designed:  Steam single response  Style Designator:
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem  Media For Which Designed:  Steam single response  Style Designator:  Straight thru
With preinserted ring  Material: Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification: Qq-n-286 federal specification 2nd material response stem  Media For Which Designed: Steam single response  Style Designator: Straight thru  Reference Number Differentiating Characteristics:
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem  Media For Which Designed:  Steam single response  Style Designator:  Straight thru  Reference Number Differentiating Characteristics:  As differentiated by item name and 2 in. Valve size
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem  Media For Which Designed:  Steam single response  Style Designator:  Straight thru  Reference Number Differentiating Characteristics:  As differentiated by item name and 2 in. Valve size  Shelf Life:
With preinserted ring  Material: Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification: Qq-n-286 federal specification 2nd material response stem  Media For Which Designed: Steam single response  Style Designator: Straight thru  Reference Number Differentiating Characteristics: As differentiated by item name and 2 in. Valve size  Shelf Life: N/a
With preinserted ring  Material: Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification: Qq-n-286 federal specification 2nd material response stem  Media For Which Designed: Steam single response  Style Designator: Straight thru  Reference Number Differentiating Characteristics: As differentiated by item name and 2 in. Valve size  Shelf Life: N/a
With preinserted ring  Material:  Nickel alloy flow control device and nickel alloy k-500 flow control device  Material Specification:  Qq-n-286 federal specification 2nd material response stem  Media For Which Designed:  Steam single response  Style Designator:  Straight thru  Reference Number Differentiating Characteristics:  As differentiated by item name and 2 in. Valve size  Shelf Life:  N/a  Unit Of Measure:
Material: Nickel alloy flow control device and nickel alloy k-500 flow control device Material Specification: Qq-n-286 federal specification 2nd material response stem Media For Which Designed: Steam single response Style Designator: Straight thru Reference Number Differentiating Characteristics: As differentiated by item name and 2 in. Valve size Shelf Life: N/a Unit Of Measure: Demilitarization: