# NSN 4820-00-546-5743

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-546-5743

Thread Class:

3a all ends

**Thread Direction:** 

Right-hand all ends

# Flow Control Device:

Disk

#### Bonnet Type:

Inside spring

### **Bonnet Attachment Method:**

Threaded

**Disk Loading Method:** 

Spring

#### Maximum Operating Temp:

250.0 degrees fahrenheit single response

#### **Connection Style:**

Flared (tube) all ends

## Valve Operation Method:

Automatic

## **Connection Type:**

Threaded external tube all ends

# **Features Provided:**

Bonnet packing and pressure tight outlet side

# Maximum Operating Pressure:

3000.0 pounds per square inch single response

## **Thread Size:**

0.562 inches all ends

## Seat Angle:

37.0 degrees all ends

## **Outside Diameter Tube Accommodated:**

0.375 inches all ends

Material:

Aluminum alloy seat

## Media For Which Designed:

Water-oil-gas single response

## Style Designator:

Angle

## **Thread Series Designator:**

Unf all ends

Shelf Life:

N/a

## Unit Of Measure:

--

# NSN 4820-00-546-5743

Safety Relief Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

