

View Online at <https://aerobasegroup.com/nsn/4820-00-551-0758>

Body Material:

Any acceptable

Body Style:

Straight thru

Furnished Items:

Automatic relief valve

Media For Which Designed:

Oxygen, liquid

First End Connection Type:

Threaded external tube

First End Style Designator:

Inverted flare

First End Thread Size And Series/type Designator:

9/16-18 unf

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Not identical

Second End Connection Type:

Threaded internal gas cylinder

Second End Style Designator:

Inverted flare

Second End Thread Size And Series/type Designator:

0.903-14 ngo

Second End Thread Direction:

Right-hand

Seat Material:

Any acceptable

First End Seat Angle In Deg:

60.0

Flow Control Device:

Diaphragm

Flow Control Device Material:

Any acceptable

End Connection Quantity:

2

Regulation Type:

1st stage automatic, 2nd stage manual

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

2500.0 pounds per square inch

Outlet Pressure Setting:

40.0 pounds per square inch

Outlet Pressure Accuracy Rating:

7.000 pounds per square inch

Filter:

Included

Temperature Rating:

Between -40.0 degrees fahrenheit and 165.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100