## NSN 4820-00-566-2632

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-566-2632 **Body Material:** Aluminum alloy **Outside Surface Treatment:** Anodized, mil-a-8625 **Body Style:** Tee Media For Which Designed: Hydraulic oil **First End Connection Type:** Threaded internal boss First End Style Designator: Gasket seal First End Thread Size And Series/type Designator: 9/16-18 unif First End Thread Class: 3b First End Thread Direction: Right-hand Second End Relationship With First End: Identical Third End Relationship With Preceding Ends: Identical with first end **Seat Material:** Steel, corrosion resisting First End Seat Angle In Deg: 30.0 **Center To Center Distance:** 0.500 inches Flow Control Device: **Poppet** Flow Control Device Material: Steel, corrosion resisting **End Connection Quantity:** 3 **Mounting Facility: Bolts Outlet Pressure Range:** +1500.0/+2000.0 pounds per square inch **Regulation Type:** Automatic single stage

Valve Loading Method:

Spring

## NSN 4820-00-566-2632

Fluid Pressure Regulating Valve - Page 2 of 2



Maximum	Inlet	Pressure	Rating:

3000.0 pounds per square inch

Filter:

Not included

**Tempurature Rating:** 

Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A21100