

View Online at <https://aerobasegroup.com/nsn/4820-00-574-5636>

**Thread Class:**

3b 1st end

**Thread Direction:**

Right-hand 1st end

**Flow Control Device:**

Poppet

**Disk Loading Method:**

Spring

**Maximum Operating Temp:**

275.0 degrees fahrenheit single response

**Connection Style:**

Gasket seal (boss) 1st end

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded internal boss 1st end

**Mounting Position:**

Horizontal or vertical

**Thready Qty Per Inch (tpi):**

20 1st end

**Maximum Operating Pressure:**

3000.0 pounds per square inch single response

**Thread Size:**

0.437 inches 1st end

**Outside Diameter Tube Accommodated:**

0.250 inches 1st end

**Material:**

Rubber synthetic packing

**Media For Which Designed:**

Oil, hydraulic single response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:**

Straight thru

**Test Data Document:**

26512-a51dcbh027 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unjf 1st end

**Furnished Items And Quantity:**

1 adapter

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A530b0

**Mil-std (military Standard):**

Mil-a-8625 spec.