NSN 4820-00-580-2975

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-580-2975

| Pipe Size Accommodated: |
|--|
| 2.000 inches 1st end |
| Thread Direction: |
| Right-hand 1st end |
| Flow Control Device: |
| Disk |
| |
| Bonnet Type: |
| Inside screw |
| Bonnet Attachment Method: |
| Union |
| Maximum Operating Temp: |
| 550.0 degrees fahrenheit 2nd response |
| Connection Style: |
| Plain, optional en (pipe) 1st end |
| Valve Operation Method: |
| Manual |
| Connection Type: |
| Threaded internal pipe 1st end |
| Features Provided: |
| Bonnet packing |
| Thready Qty Per Inch (tpi): |
| 11-1/2 1st end |
| Maximum Operating Pressure: |
| 200.0 pounds per square inch 2nd response |
| Thread Size: |
| 2.000 inches 1st end |
| Material: |
| Copper alloy body |
| Material Specification: |
| Qq-c-390, alloy a3 federal specification single material response body |
| Media For Which Designed: |
| Water-oil-gas 2nd response |
| Style Designator: |
| Straight thru |
| Thread Series Designator: |
| Npt 1st end |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| _ |
| Demilitarization: |

No

NSN 4820-00-580-2975

Globe Valve - Page 2 of 2



Fiig:

A046b0