

View Online at <https://aerobasegroup.com/nsn/4820-00-580-6422>

Thread Direction:

Right-hand 2nd end

Flow Control Device:

Disk

Bonnet Type:

Outside screw-yoke

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

6 1st end

Connection Style:

Plain (hose) 2nd end

Valve Operation Method:

Manual

Flange Shape:

Round with holes 1st end

Connection Type:

Threaded external hose 2nd end

Features Provided:

Bonnet packing

Valve Size:

2.500 inches

Thready Qty Per Inch (tpi):

7-1/2 2nd end

Thread Size:

2.500 inches 2nd end

Outside Diameter:

6.125 inches 1st end

Thickness:

0.938 inches 1st end

First Connection Face To Centerline Distance:

4.875 inches

Bolt Hole Diameter:

0.688 inches 1st end

Second Connection Face To Centerline Distance:

4.125 inches

Bolt Circle Diameter:

5.000 inches 1st end

Flange Face Design:

Plain 1st end

Outside Diameter Hose Accommodated:

2.500 inches 2nd end

Material:

Nickel alloy stem

Style Designator:

Angle flanged ends

Thread Series Designator:

Nh 2nd end

Furnished Items And Quantity:

1 cap and 1 chain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0