## NSN 4820-00-585-7567

Globe Valve - Page 1 of 2

**Thread Direction:** 



View Online at https://aerobasegroup.com/nsn/4820-00-585-7567

Right-hand 2nd end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Bolt Hole Quantity:
6 1st end
Connection Style:
Plain (hose) 2nd end
Valve Operation Method:
Manual
Flange Shape:
Round with holes 1st end
Connection Type:
Threaded external hose 2nd end
Thready Qty Per Inch (tpi):
11-1/2 2nd end
Maximum Operating Pressure:
250.0 pounds per square inch single response
Thread Size:
1.500 inches 2nd end
Outside Diameter:
5.062 inches 1st end
Thickness:
0.812 inches 1st end
Bolt Hole Diameter:
0.562 inches 1st end
Bolt Circle Diameter:
3.938 inches 1st end
Flange Face Design:
Plain 1st end
Outside Diameter Hose Accommodated:
1.500 inches 2nd end
Material:
Nickel alloy stem
Style Designator:
Straight thru
Thread Series Designator:
Npsh 2nd end

## NSN 4820-00-585-7567

Globe Valve - Page 2 of 2



She	lf	Life:	
Oile	••	LIIV.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0