## NSN 4820-00-585-8566

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-585-8566

Pipe Size Accommodated: 0.250 inches 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: Disk **Bonnet Type:** Inside spring **Bonnet Attachment Method:** Integral **Disk Loading Method:** Spring Valve Discharge Flow Rate: 504.0 pounds per hour Maximum Operating Temp: 200.0 degrees fahrenheit single response **Connection Style:** Plain (pipe) 1st end Valve Operation Method: Automatic **Connection Type:** Threaded external pipe 1st end **Features Provided:** Valve stem lock shield Thready Qty Per Inch (tpi): 18 1st end Maximum Operating Pressure: 350.0 pounds per square inch single response **Thread Size:** 0.250 inches 1st end **Opening Pressure Setting:** 325.0 pounds per square inch Material: Steel seat Media For Which Designed: Steam single response **Style Designator:** Angle **Thread Series Designator:** Npt 1st end Shelf Life: N/a

## NSN 4820-00-585-8566

Safety Relief Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

