NSN 4820-00-590-9165

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-590-9165

Thread	Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Threaded

Disk Loading Method:

Spring

Renewable Seat Ring Type:

Pressed-in

Connection Style:

Gasket sea (boss) 1st end

Valve Operation Method:

Automatic

Connection Type:

Threaded internal boss 1st end

Adjustable Pressure Range:

+2000.0/+6500.0 pounds per square inch

Thread Size:

0.438 inches 1st end

Opening Pressure Setting:

5500.0 pounds per square inch

Outside Diameter Tube Accommodated:

0.250 inches 1st end

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-225/8, alloy6061 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Angle

Thread Series Designator:

Unf 2nd end

Shelf Life:

N/a

NSN 4820-00-590-9165

Safety Relief Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-a-8625 spec.

