NSN 4820-00-601-0972

Angle Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-00-601-0972

Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Bolt Hole Quantity:
4 2nd end
Valve Operation Method:
Manual
Flange Shape:
Round with holes 2nd end
Connection Type:
Flange 1st end
Maximum Operating Pressure:
600.0 pounds per square inch single response
Outside Diameter:
6.125 inches 2nd end
Thickness:
0.875 inches 2nd end
First Connection Face To Centerline Distance:
4.500 inches
Bolt Hole Diameter:
0.812 inches 2nd end
Second Connection Face To Centerline Distance:
4.500 inches
Bolt Circle Diameter:
4.500 inches 2nd end
Flange Face Design:
Plain 2nd end
Raised Face Height:
0.250 inches 1st end
Raised Face Diameter:
3.625 inches 1st end
Material:
Stainless steel flow control device
Style Designator:
Angle flanged ends
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4820-00-601-0972

Angle Valve - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A046b0