NSN 4820-00-618-7821

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-618-7821

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
480.0 degrees fahrenheit single response
Connection Style:
External seat for gasket seal (boss) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external boss 1st end
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
600.0 pounds per square inch single response
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 1st end
Special Features:
Non-standard cracking pressure 8 in. H2o
Material:
Aluminum alloy 2024 body
Material Specification:
Qq-a-225/6 federal specification single material response body
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 1 military specification single treatment response
Style Designator:
Straight thru
Thread Series Designator:
Unjf 1st end
Shelf Life:
N/a
Unit Of Measure:
Ont of Measure.

--

NSN 4820-00-618-7821

Check Valve - Page 2 of 2



em			

Yes - demil/mli

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.