NSN 4820-00-683-9348

Pressure And Temperature Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-683-9348

Body Material:

Bronze, astm b61 and bronze, astm b62

Body Style:

Tee w/ offset give "adqm" "adqn" and "adqp" only if flanged all ends

Stem Material:

Bronze, astm b61 and bronze, astm b62

Furnished Items:

Emergency opening device

Tempurature Rating:

210.0 degrees fahrenheit

Media For Which Designed:

Water, fresh

First End Connection Type:

Threaded internal pipe

First End Style Designator:

Plain

First End Pipe Size Accommodated:

0.750 inches

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Third End Relationship With Preceding Ends:

Identical with first end

Seat Material:

Bronze, astm b61 and bronze, astm b62

Offset Distance:

0.625 inches

Flow Control Device:

Poppet

Flow Control Device Material:

Nickel copper alloy

End Connection Quantity:

3

Opening Pressure Setting:

125.0 pounds per square inch

Bulb Length:

5.625 inches

Tempurature Adjustability:

Not adjustable

Tempurature Control Device Type:

Thermostatic

NSN 4820-00-683-9348

Pressure And Temperature Relief Valve - Page 2 of 2



Special	Features:
----------------	-----------

75.000 btu per hr mindischarge

Specification Or Standard:

1 type and b style and 2 class and x size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07100