Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-684-0102

| Body Material: |
|---|
| Steel |
| First End Flange Outside Diameter: |
| 3.750 inches |
| Body Style: |
| Straight thru |
| Furnished Items: |
| Internal pilot valve |
| Media For Which Designed: |
| Steam |
| First End Connection Type: |
| Raised face flange |
| First End Style Designator: |
| Raised |
| First End Flange Shape Style: |
| Round w/ bolt holes |
| First End Bolt Hole Quantity: |
| 4 |
| First End Bolt Hole Diameter: |
| 0.562 inches |
| First End Bolt Circle Diameter: |
| 2.625 inches |
| Second End Relationship With First End: |
| Identical |
| Seat Material: |
| Cobalt alloy |
| Face To Face Distance: |
| 7.500 inches |
| Flow Control Device Material: |
| Steel, corrosion resisting |
| End Connection Quantity: |
| 2 |
| Renewable Seat Ring Type: |
| Threaded |
| Outlet Pressure Range: |
| +100.0 to 450.0 pounds per square inch |
| Regulation Type: |
| Manual single stage |
| Valve Stem Design: |
| Single seat |
| Valve Loading Method: |
| Spring |



Maximum Inlet Pressure Rating: 600.0 pounds per square inch **Outlet Pressure Accuracy Rating:** Not rated Filter: Not included **Tempurature Rating:** 875.0 degrees fahrenheit Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A21100