NSN 4820-00-696-7715

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-696-7715 **Body Material:** Aluminum alloy **Body Style:** Tee Stem Material: Steel, corrosion resisting Media For Which Designed: Air **First End Connection Type:** Threaded internal tube First End Style Designator: Gasket seal First End Outside Diameter Tube Accommodated: 0.375 inches First End Thread Size And Series/type Designator: 9/16-18 unf **First End Thread Class:** 3b **First End Thread Direction:** Right-hand Second End Relationship With First End: Not identical Third End Relationship With Preceding Ends: Identical with first end **Seat Material:** Steel, corrosion resisting First End Seat Angle In Deg: 120.0 First End Seat Radius: Between 0.344 inches and 0.347 inches **Face To Face Distance:** 2.500 inches **First Connection Face To Centerline Distance:** 2.440 inches Flow Control Device: Disk, circular Flow Control Device Material: Steel, corrosion resisting **End Connection Quantity:**

__ ._ ._ ._.

First End Thread Pitch Diameters:

+0.5264/+0.5308 inches

NSN 4820-00-696-7715
Fluid Pressure Regulating Valve - Page 2 of 2



Renewable Seat Ring Type:
Pressed-in
Outlet Pressure Range:
+8.0/+10.5 pounds per square inch
Regulation Type:
Automatic single stage
Valve Stem Design:
Single seat
Remote Actuation Method:
Diaphragm
Maximum Inlet Pressure Rating:
150.0 pounds per square inch
Filter:
Not included
Tempurature Rating:
Between -65.0 degrees fahrenheit and 165.0 degrees fahrenheit
Shelf Life:
N/a
Unit Of Measure:
.
Demilitarization:
No
Fiig:
A21100