

View Online at <https://aerobasegroup.com/nsn/4820-00-715-4576>

Thread Class:

3a 1st end

Thread Direction:

Right-hand 1st end

Unable To Decode:

Unable to decode and unable to decode

Flow Control Device:

Poppet

Disk Loading Method:

Spring

Renewable Seat Ring Type:

Threaded

Connection Style:

Flared (tube) 2nd end

Connection Type:

Threaded external tube 2nd end

Mounting Facility:

Bracket

Mounting Position:

Horizontal or vertical

Thready Qty Per Inch (tpi):

18 2nd end

Maximum Operating Pressure:

35.0 pounds per square inch single response

Thread Size:

0.750 inches 1st end

Seat Angle:

37.0 degrees 2nd end

Face To Face Distance:

1.960 inches

Outside Diameter Tube Accommodated:

0.500 inches 1st end

Special Features:

Valve operation method: hydraulic

Material:

Steel comp 303 flow control device

Material Specification:

Qq-a-225/6 federal specification single material response body

Media For Which Designed:

Oil, hydraulic single response

Style Designator:

Straight thru

Thread Series Designator:

Unf 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0