NSN 4820-00-722-4854

Safety Relief Valve - Page 1 of 2

Pipe Size Accommodated:



View Online at https://aerobasegroup.com/nsn/4820-00-722-4854

0.250 inches all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Integral
Disk Loading Method:
Spring
Connection Style:
Plain, optional en (pipe) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe all ends
Features Provided:
Pressure tight outlet side
Thready Qty Per Inch (tpi):
18 all ends
Maximum Operating Pressure:
125.0 pounds per square inch single response
Thread Size:
0.250 inches all ends
Opening Pressure Setting:
80.0 pounds per square inch
Material:
Stainless steel stem
Media For Which Designed:
Water, fresh single response
Style Designator:
Angle
Thread Series Designator:
Npt all ends
Reference Number Differentiating Characteristics:
As differentiated by the endconnection size and the opening pressure
Shelf Life:
N/a
Unit Of Measure:

NSN 4820-00-722-4854

Safety Relief Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0