NSN 4820-00-727-5968

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-727-5968

view Online at https://aerobasegroup.com/hsi//4020-00-727-3300
Thread Direction:
Right-hand 1st end
Flow Control Device:
Stem or disk
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Bolted
Bolt Hole Quantity:
2 2nd end
Connection Style:
Plain, optional en (pipe) 1st end
Width:
2.500 inches 2nd end
Length:
2.500 inches 2nd end
Valve Operation Method:
Automatic
Flange Shape:
Rectangular with holes 2nd end
Connection Type:
Flange 2nd end
Features Provided:
Pressure tight outlet side
Thread Size:
0.750 inches 1st end
Opening Pressure Setting:
53.0 pounds per square inch
Thickness:
2.500 inches 2nd end
Bolt Hole Diameter:
0.278 inches 2nd end
Center To Center Distance Between Bolt Holes Along Length:
1.938 inches 2nd end
Center To Center Distance Between Bolt Holes Along Width:
1.938 inches 2nd end
Flange Face Design:
Plain all ends
Special Features:
Flange has gasket groove
Material:
Stainless steel stem

NSN 4820-00-727-5968

Safety Relief Valve - Page 2 of 2

Style Designator:

Angle

Thread Series Designator:

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

