NSN 4820-00-744-1239

Check Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-744-1239

| Pipe Size Accommodated: |
|---|
| 0.125 inches 1st end |
| Thread Direction: |
| Right-hand 1st end |
| Flow Control Device: |
| Poppet |
| Disk Loading Method: |
| Spring |
| Maximum Operating Temp: |
| 200.0 degrees fahrenheit single response |
| Connection Style: |
| Plain, optional end (pipe) 1st end |
| Valve Operation Method: |
| Automatic |
| Connection Type: |
| Threaded internal pipe 1st end |
| Mounting Position: |
| Horizontal or vertical |
| Thready Qty Per Inch (tpi): |
| 27 2nd end |
| Maximum Operating Pressure: |
| 3000.0 pounds per square inch single response |
| Thread Size: |
| 0.125 inches 2nd end |
| Material: |
| Steel comp 304 flow control device |
| Material Specification: |
| Qq-b-626, alloy 360 federal specification single material response body |
| Media For Which Designed: |
| Fuel/oil, hydrocarbon 2nd response |
| Style Designator: |
| Straight thru |
| Thread Series Designator: |
| Npt 1st end |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

A530b0