

View Online at <https://aerobasegroup.com/nsn/4820-00-762-1213>

**Flow Control Device:**

Disk

**Bonnet Type:**

Outside screw-yoke

**Bonnet Attachment Method:**

Bolted

**Renewable Seat Ring Type:**

Threaded

**Bolt Hole Quantity:**

6 all ends

**Maximum Operating Temp:**

425.0 degrees fahrenheit single response

**Valve Operation Method:**

Manual

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Mounting Position:**

Horizontal or vertical

**Features Provided:**

Bonnet packing

**Valve Size:**

2.000 inches

**Maximum Operating Pressure:**

200.0 pounds per square inch single response

**Outside Diameter:**

5.938 inches all ends

**Face To Face Distance:**

10.250 inches

**Thickness:**

0.812 inches all ends

**Bolt Hole Diameter:**

0.688 inches all ends

**Bolt Circle Diameter:**

4.625 inches all ends

**Flange Face Design:**

Plain all ends

**Special Features:**

Valve size 1-1/2 in.

**Material:**

Nickel alloy flow control device

**Material Specification:**

Qq-c-390c, alloy d4 federal specification single material response body

**Media For Which Designed:**

Steam single response

**Style Designator:**

Straight through flanged ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A530b0