

820-00-762-1236

NSN 4820-00-762-1236 Safety Relief Valve - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/48
Pipe Size Accommodated:
0.250 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Pressure tight outlet side
Adjustable Pressure Range:
+205.0/+215.0 pounds per square inch
Maximum Operating Pressure:
2500.0 pounds per square inch single response
Thread Size:
0.250 inches 1st end
Opening Pressure Setting:
210.0 pounds per square inch

Material:

Copper alloy 360

Material Specification:

Qq-b-626, alloy alloy 360 federal specification single material response

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Angle

Thread Series Designator:

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 4820-00-762-1236

Safety Relief Valve - Page 2 of 2

Fiig: A046b0

