NSN 4820-00-766-3695

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-766-3695

Pipe Size Accommodated:
1.312 inches 1st end
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Cone
Bonnet Type:
Packing retaining
Disk Loading Method:
Spring
Maximum Operating Temp:
180.0 degrees fahrenheit 2nd response
Connection Style:
Plain (pipe) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external pipe 1st end
Thready Qty Per Inch (tpi):
12 1st end
Adjustable Pressure Range:
+0.0/+35.0 pounds per square inch
Maximum Operating Pressure:
200.0 pounds per square inch 2nd response
Thread Size:
1.312 inches 1st end
Material:
Rubber synthetic flow control device
Media For Which Designed:
Nitrogen, gaseous 2nd response
Style Designator:
Straight thru
Thread Series Designator:
Unc 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 4820-00-766-3695

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0