NSN 4820-00-769-0341

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-769-0341

Thread Class:					
3a all ends					
Thread Direction:					
Right-hand all ends					
Flow Control Device:					
Poppet					
Disk Loading Method:					
Spring					
Maximum Operating Temp:					
275.0 degrees fahrenheit 2nd response					
Connection Style:					
Flareless all ends					
Valve Operation Method:					
Automatic					
Connection Type:					
Threaded external tube all ends					
Mounting Position:					
Horizontal or vertical					
Thready Qty Per Inch (tpi):					
12 all ends					
Maximum Operating Pressure:					
3000.0 pounds per square inch single response					
Thread Size:					
1.062 inches all ends					
Seat Angle:					
12.0 degrees all ends					
Material:					
Steel seat					
Material Specification:					
Qq-s-763, class 440a federal specification single material response flow control device					
Media For Which Designed:					
Fuel/oil, hydrocarbon single response					
Surface Treatment:					
Passivate					
Surface Treatment Specification:					
Mil-s-5002 military specification single treatment response					
Style Designator:					
Straight thru					
Thread Series Designator:					
Unj all ends					
Shelf Life:					
N/a					

NSN 4820-00-769-0341

Check Valve - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-s-18732 spec.