NSN 4820-00-775-3975

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-775-3975

Flow Control Device:					
Disk					
Bonnet Type:					
Inside screw					
Bonnet Attachment Method:					
Bolted					
Bolt Hole Quantity:					
8 1st end					
Maximum Operating Temp:					
650.0 degrees fahrenheit single response					
Valve Operation Method:					
Manual					
Flange Shape:					
Round with holes 1st end					
Connection Type:					
Flange 1st end					
Mounting Position:					
Horizontal					
Features Provided:					
Bonnet packing					
Valve Size:					
3.500 inches					
Maximum Operating Pressure:					
150.0 pounds per square inch single response					
Outside Diameter:					
7.188 inches 1st end					
Face To Face Distance:					
11.500 inches					
Thickness:					
0.500 inches 1st end					
Bolt Hole Diameter:					
0.562 inches 1st end					
Bolt Circle Diameter:					
6.062 inches 1st end					
Flange Face Design:					
Plain 1st end					
Material:					
Nickel alloy 400 stem or nickel alloy r-405 stem					
Media For Which Designed:					
Water-oil-gas single response					
Style Designator:					

Straight through flanged ends

NSN 4820-00-775-3975

Stop-check Valve - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0