Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-784-5579

| Body M | laterial: |
|----------|------------------------------------|
| Brass | |
| | nd Flange Outside Diameter: |
| 4.500 ir | - |
| | |
| Body S | |
| Straight | For Which Designed: |
| | lorodifluoromethane |
| | |
| | nd Connection Type: |
| | |
| | nd Style Designator: |
| Plain | |
| | nd Flange Shape Style: |
| | w/ bolt holes |
| | nd Flange Thickness: |
| 0.500 ir | |
| | nd Bolt Hole Quantity: |
| 4 | |
| | nd Bolt Hole Diameter: |
| 0.562 ir | |
| | nd Bolt Circle Diameter: |
| 3.375 ir | |
| | I End Relationship With First End: |
| Identica | |
| Seat Ma | aterial: |
| Brass | |
| | o Face Distance: |
| 5.313 ir | |
| | ontrol Device: |
| Diaphra | - |
| | ontrol Device Material: |
| | copper alloy |
| End Co | nnection Quantity: |
| 2 | |
| | Pressure Range: |
| | 260.0 pounds per square inch |
| | tion Type: |
| | tic single stage |
| | oading Method: |
| Spring | |
| Remote | Actuation Method: |
| Bellows | |



Maximum Inlet Pressure Rating:

150.0 pounds per square inch

Filter:

Not included

Tempurature Rating:

170.0 degrees fahrenheit

Special Features:

Pipe size 1.000 in

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A21100