## NSN 4820-00-793-9646

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-793-9646
Thread Class:
3a all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Disk
Disk Loading Method:
Spring
Connection Style:
Flared (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube all ends
Mounting Position:
Vertical
Thread Size:
0.438 inches all ends
Seat Angle:
37.0 degrees all ends
Outside Diameter Tube Accommodated:
0.250 inches all ends
Material:
Steel flow control device
Material Specification:
Qq-w-423 federal specification single material response seat
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Straight thru
Supplementary Features:
Additional flow control device: stem
Test Data Document:
34199-k-1207-4 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unf all ends
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4820-00-793-9646

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.