## NSN 4820-00-800-3572

Pneumatic Tank Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-800-3572

Body Material:
Steel, corrosion resisting
Body Style:
Straight thru
Furnished Items:
Сар
Media For Which Designed:
Air
First End Connection Type:
Threaded external pipe
First End Style Designator:
Plain
First End Thread Direction:
Right-hand
Second End Relationship With First End:
Not identical
Second End Connection Type:
Threaded external boss
Second End Style Designator:
External seat for gasket seal
Second End Thread Class:
3a
3a Second End Thread Direction:
Second End Thread Direction:
Second End Thread Direction: Right-hand
Second End Thread Direction: Right-hand Seat Material:
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device:
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material:
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity:
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2 Core Environmental Protection:
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2 Core Environmental Protection: Corrosion and heat, dry
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2 Core Environmental Protection: Corrosion and heat, dry Commercial Core Length Designator:
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2 Core Environmental Protection: Corrosion and heat, dry Commercial Core Length Designator: Standard
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2 Core Environmental Protection: Corrosion and heat, dry Commercial Core Length Designator: Standard Spring Material:
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2 Core Environmental Protection: Corrosion and heat, dry Commercial Core Length Designator: Standard Spring Material: Steel, corrosion resisting
Second End Thread Direction: Right-hand Seat Material: Steel, corrosion resisting Flow Control Device: Poppet Flow Control Device Material: Any acceptable End Connection Quantity: 2 Core Environmental Protection: Corrosion and heat, dry Commercial Core Length Designator: Standard Spring Material: Steel, corrosion resisting Commercial Spring Tension Rating:

## NSN 4820-00-800-3572

Pneumatic Tank Valve - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A07100