

View Online at <https://aerobasegroup.com/nsn/4820-00-802-2225>

Thread Class:

3a 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Poppet

Disk Loading Method:

Spring

Maximum Operating Temp:

-40.0 degrees fahrenheit 1st response 270.0 degrees fahrenheit 2nd response

Connection Style:

Flared (tube) 1st end

Valve Operation Method:

Automatic

Connection Type:

Threaded external tube 1st end

Features Provided:

Pressure tight outlet side

Adjustable Pressure Range:

+0.0/+200.0 pounds per square inch

Maximum Operating Pressure:

200.0 pounds per square inch single response

Thread Size:

0.437 inches 1st end

Seat Angle:

37.0 degrees 1st end

Opening Pressure Setting:

15.0 pounds per square inch

Outside Diameter Tube Accommodated:

0.250 inches 1st end

Material:

Steel comp 303 stem

Material Specification:

Fed standard 66 federal standard single material response stem

Media For Which Designed:

Hydrogen 5th response

Style Designator:

Straight through note: to be used for valve bodies of one section only.

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0