NSN 4820-00-810-4363

Poppet Drain Cock - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-810-4363 **Thread Class:** 3b 2nd end **Thread Direction:** Right-hand all ends Flow Control Device: Poppet **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** Gasket seal (boss) 2nd end **Valve Operation Method:** Manual **Connection Type:** Threaded internal boss 2nd end **Maximum Operating Pressure:** 20.0 pounds per square inch 1st response **Thread Size:** 0.562 inches all ends Seat Angle: 12.0 degrees 1st end **Special Features:** Free flowing end with thd internal boss type plumbing connection mtd on outlet, 1st end with thd bulkhead type connection Material: Stainless steel flow control device and rubber synthetic flow control device **Material Specification:** Qq-a-225/6, alloy 2024, t4 federal specification single material response body Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:** Unf all ends Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 4820-00-810-4363

Poppet Drain Cock - Page 2 of 2



Fiig:

A530c0

Mil-std (military Standard):

Mil-a-8625 spec.