

View Online at <https://aerobasegroup.com/nsn/4820-00-824-1269>

Thread Class:

3a all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Poppet

Disk Loading Method:

Spring

Maximum Operating Temp:

275.0 degrees fahrenheit 2nd response

Connection Style:

Flareless all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded external tube all ends

Mounting Position:

Horizontal or vertical

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.437 inches all ends

Seat Angle:

12.0 degrees all ends

Material:

Steel comp 303 flow control device

Material Specification:

Qq-s-764, type303-canceled federal specification single material response flow control device

Media For Which Designed:

Hydraulic fluid, petroleum base single response

Surface Treatment:

Enamel

Style Designator:

Straight thru

Test Data Document:

80378-205-15-2048 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unjf all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A530b0