

View Online at <https://aerobasegroup.com/nsn/4820-00-828-3186>

Body Material:

Aluminum alloy

Outside Surface Treatment:

Any acceptable

Body Style:

Angle

Furnished Items:

Needle valve and outlet pressure gage

Media For Which Designed:

Ammonia, gaseous and ammonia, liquid

First End Connection Type:

Threaded external pipe

First End Style Designator:

Plain

First End Thread Size And Series/type Designator:

1/4-18 npt

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Not identical

Second End Connection Type:

Threaded external gas cylinder

Second End Style Designator:

Swivel nut, flared

Second End Thread Size And Series/type Designator:

3/8-18 ngt

Second End Thread Direction:

Right-hand

Seat Material:

Steel, corrosion resisting

Flow Control Device:

Disk, flat, top and bottom guided

Flow Control Device Material:

Nonmetallic

End Connection Quantity:

2

Second End Thread Pitch Diameters:

Any acceptable

Renewable Seat Ring Type:

Pressed-in

Outlet Pressure Range:

+5.0/+80.0 pounds per square inch

Regulation Type:

Automatic single stage

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

114.0 pounds per square inch

Outlet Pressure Accuracy Rating:

Not rated

Filter:

Included

Special Features:

5 cfm, max flow capacity at maximum rated inlet and outlet pressure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100