NSN 4820-00-851-0562

Angle Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-851-0562

Pipe Size Accommodated:
3.000 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Maximum Operating Temp:
450.0 degrees fahrenheit single response
Connection Style:
G9 plain, optional en (pipe) 1st end
Valve Operation Method:
Manual
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Bonnet packing
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 8 1st end
8 1st end
8 1st end Maximum Operating Pressure:
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size:
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material:
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator:
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090 Thread Series Designator:
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090 Thread Series Designator: Npt 1st end
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090 Thread Series Designator: Npt 1st end Shelf Life:
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090 Thread Series Designator: Npt 1st end Shelf Life: N/a
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090 Thread Series Designator: Npt 1st end Shelf Life: N/a
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090 Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
8 1st end Maximum Operating Pressure: 200.0 pounds per square inch single response Thread Size: 3.000 inches 1st end Material: Copper alloy Style Designator: Err-090 Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure: Demilitarization: