NSN 4820-00-853-4048

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-853-4048

Pipe Size Accommodated:
0.250 inches 2nd end
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Ball
Disk Loading Method:
Spring
Maximum Operating Temp:
350.0 degrees fahrenheit single response
Connection Style:
Plain (pipe) 2nd end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
18 2nd end
Maximum Operating Pressure:
1000.0 pounds per square inch single response
Thread Size:
0.562 inches 1st end
Seat Angle:
37.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.375 inches 1st end
Material:
Steel comp 440c flow control device
Material Specification:
Fed-std-66 federal standard single material response flow control device
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
Straight thru
Thread Series Designator:
Unf 1st end
Furnished Items And Quantity:

1 ferrule

NSN 4820-00-853-4048

Check Valve - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0